



A851 Pro-Series Security Camera

For use with Swann 4400 Series HD DVRs

EN

INSTRUCTION MANUAL

Introduction

Congratulations on your purchase of this A851 Pro-Series Security Camera. This camera can operate in almost all lighting conditions, from bright daylight (provided it's not pointed straight toward the sun) to pitch darkness.

The camera is very sensitive to light and therefore can make use of even the smallest amount of light to provide an image of what it sees. In low light, this comes through as a black and white image.

In complete or near-total darkness, the camera uses built-in infrared LEDs to illuminate the area in front of it. This light is invisible to the human eye, although you might notice a faint red glow coming from the front of the camera - this is normal.

In day or well-lit environments, the IR Cut Filter feature of the camera activates to filter out

wavelengths of light the camera does not need in order to provide a clear color image.

Important note - All jurisdictions have specific laws and regulations relating to the use of cameras. Before using any camera for any purpose, it is the buyer's responsibility to be aware of all applicable laws and regulations that prohibit or limit the use of cameras and to comply with the applicable laws and regulations.

Warning - Modifications not approved by the party responsible for compliance could void user's authority to operate the equipment.

Important safety instructions

- 1)** Make sure product is fixed correctly and stable if fastened in place.
- 2)** Do not operate if wires and terminals are exposed.

Choosing a location for your Camera

Some things to consider when choosing a location -

- 1)** What you want to monitor and where you'll get the best view of it.
- 2)** How you're going to connect the camera to your monitoring system; remember that cables and connections should be kept out of the weather.
- 3)** How to keep the camera out of harm's way. It's recommended to mount your cameras at an elevated position.
- 4)** Place your camera as close to the area of interest as practicable. The best position is from about 4m (13ft) above looking slightly down, keeping in mind the details you are looking for.
- 5)** Although the sky looks nice when you look at the live view from your camera, it is an unlikely direction for an offender to approach, make sure your camera has minimal sky in it as the light in daylight can make the foreground of the image darker.

6) Think about the most likely way a potential offender may approach your home, use your cameras to give you the best coverage of these areas.


7) The camera's casing is resistant to water, different weather conditions and tampering. It would take an overwhelming event of this kind to damage the housing of the camera. However, the cable and connector are vulnerable and require protection.

8) Even though the camera is weather and water-resistant, prolonged exposure to adverse weather conditions such as sunlight or excessive moisture, may eventually damage the internal components of the camera and adversely affect its performance.

9) When running your cable, try to avoid bending it at sharp angles.

10) Don't put your cable near live electrical wiring. AC electricity generates radio "noise" which can interfere with the signal from your camera.

Connecting your Camera



Mounting your Camera

The camera can be mounted onto a flat, vertical or horizontal surface using the supplied mounting screws. The surface must have sufficient strength to hold the camera. Materials such as hardwood, brick or masonry are good options. You can mount the camera onto a metal surface, but you'll need to supply your own mounting hardware.

To mount the camera:

- Position the camera in the location you want to mount it, and mark the screw holes on the surface to position the screws. Using the appropriate screws for the surface you are mounting to, screw the camera into place.
- If you're mounting to a wooden surface, screw the camera directly to the surface.
- When mounting to a masonry surface, you'll need to use the included wall plugs.

Aiming the camera:

- Loosen the three screws located at the base of the camera.
- The dome cover can be rotated left or right.
- The camera can be aimed in almost any direction from wherever you choose to mount it. After you've finished adjusting the viewing angle, tighten each screw to lock the camera's position in place.

Positioning the cables:

- When running the cable, try to avoid bending it at sharp angles.
- Avoid positioning the cable live electrical wiring. AC electricity generates radio noise which can interfere with the signal from your camera.

Limited Warranty - Terms & Conditions

Swann Communications warrants this product against defects in workmanship and material for a period of one (1) year from its original purchase date. You must present your receipt as proof of purchase for warranty validation. Any unit which proves defective during the stated period will be repaired without charge for parts or labour or replaced at the sole discretion of Swann. The end user is responsible for all freight charges incurred to send the product to Swann's repair centres. The end user is responsible for all shipping costs incurred when shipping from and to any country other than the country of origin.

The warranty does not cover any incidental, accidental or consequential damages arising from the use of or the inability to use this product. Any costs associated with the fitting or removal of this product by a tradesman or other person or any

other costs associated with its use are the responsibility of the end user. This warranty applies to the original purchaser of the product only and is not transferable to any third party. Unauthorized end user or third party modifications to any component will render all warranties void. By law some countries do not allow limitations on certain exclusions in this warranty. Where applicable by local laws, regulations and legal rights will take precedence.

For Australia: Our goods come with guarantees which cannot be excluded under Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality.

FCC Verification

This equipment has been tested and found to comply with the limits for Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna
- Increase the separation between the equipment and the receiver
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected
- Consult the dealer or an experienced radio/TV technician for help

These devices comply with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) These devices may not cause harmful interference.

(2) These devices must accept any interference received, including interference that may cause undesired operation.

Helpdesk/Technical Support

Technical Support E-mail: tech@swann.com

Telephone Helpdesk

USA Toll Free 1-800-627-2799

USA Parts & Warranty 1-800-627-2799

(M-F, 9am-5pm US PT)

AUSTRALIA 1800 788 210

NEW ZEALAND Toll Free 0800 479 266

UK 0808 168 9031

